


# SCAG

POWER EQUIPMENT



## KEY IDENTIFYING FEATURES

ALL UNITS LISTED

5 GALLON PLASTIC FUEL TANKS  
4 SPEED 700-022 TRANSMISSION  
OPERATOR PRESENCE CONTROLS


### MODEL#

SW32-12B  
SW36-12B  
SW36-12BS  
SW36-8J  
SW36-13K  
SW48-12B  
SW48-13K

SW-13K  
SW-18KH

SWM-52  
SWM-61

## 32" & 36" CUTTER DECKS



## 32" & 36" CUTTER DECK

REF. PART NO. NO.	DESCRIPTION	SWM 3236 36BS	REF. PART NO. NO.	DESCRIPTION	SWM 3236 36BS
1 46087	Cutter Deck Wd (incl. Decal)	x x	42 48127	Pulley (incl. 43-44)	x x x
1 45126	Cutter Deck Wd	x	43 48141	Tapered Hub	x x x
2 46020	Cutter Spindle Assy (incl 3-9)	x x x	44 *	Hex Hd Bolt, 1/4-20 x 3/4	x x x
3 04050-04	Retaining Ring, 1"Ext.-Inverted	x x x	45 *	Hex Nut, 5/8-11	x x x
4 04050-07	Retaining Ring, 2-7/16 Int.bsc	x x x	46 48204	Belt, Blade Drive	x x
5 48101-01	Bearing Cutter Spindle Upper	x x x	46 48278	Belt, Blade Drive	x
5a 48101-02	Bearing Cutter Spindle Lower	x x x	47 *	Hex Hd Bolt, 3/8-16 x 5	x x x
6 41001	Spindle Housing	x x x	48 *	Hex Nut, 3/8-16	x x x
7 48114-02	Grease Fitting, Str 5/16 Serr	x x x	48a *	Hex Nut, 3/8-16 Ctr Locknut	x x x
8 43001-02	Spindle, Cutter Blade	x x x	49 *	Lockwasher, Spring 3/8	x x x
9 04041-02	Washer, 1-5/16 x 2-13/32 x 16 ga.	x x x	50 04004-02	Support, Belt Cover	x x x
10 04063-08	Key, 1/4 x 1/4 x 2	x x x	51 45098	Belt Guide Wd	x x x
11 43038	Spacer, Cutter Blade	x x x	52 SM *	Hex Hd Bolt, 7/16-14 x 1-1/4	x x x
12 *	Hex Hd Bolt, 5/16-18 x 1-1/4	x x x	53 *	Washer, 15/32 x 59/64 x 16 ga.	x x x
13 *	Lockwasher, Spring 5/16	x x x	54 *	Lockwasher, Spring, 7/16	x x x
14 *	Hex Nut 5/16-18	x x x	55 *	Hex Nut, 7/16-14 elastic stop	x x x
14a *	Hex Nut 5/16-24	x x x	56 45037	Idler Pivot Wd	x x x
15 48108	Cutter Blade 18"	x x	57 SM 46145	Idler Arm Assy. (incl. 22 & 58)	x x x
15 48110	Cutter Blade 16 1/2"	x	58 48100-05	Bronze Bearing	x x x
15a 48185	Cutter Blade 18" Hi Lift	x x	59 04050-02	Retaining Ring, 3/4 Ext.-"E"	x x x
15a 48184	Cutter Blade 16 1/2" Hi Lift	x	60 04004-04	Stud	x x x
16 04040-10	Flat Washer, 5/8 W	x x	61 SM 48269	Idler Pulley, Belt Clutch	x x x
17 04001-41	Hex Hd Bolt, 5/8-11 x 9-1/2	x x x	62 43063	Spacer, Idler	x x x
18 46079	Caster Assy. (incl.19-28)	x	63 04070-02	Eyebolt, LH	x x x
19 04066-01	Quick Pin	x x x	64 04070-01	Eyebolt, RH	x x x
20 43037-01	Spacer, Caster Yoke, 1/2" long	x x x	65 43025	Turnbuckle	x x x
21 48100-01	Bronze Bearing	x	66 04022-02	Wing Nut, 5/16-18	x x x
22 48114-01	Grease Fitting, Str. 1/4-28	x x x	67 43042	Sleeve, Clutch Rod	x x x
23 46082	Support Assy. (incl. 21-22)	x	68 *	Hex Hd Bolt, 3/8-16 x 2-3/4	x x x
24 45006	Caster Yoke Wd	x	69 44003	Blade Clutch Rod, Lower	x x x
25 43022	Sleeve, Caster Wheel Brg.	x	70 43043	Sleeve, Clutch Rod	x x x
26 04001-37	Hex Hd Bolt, 1/2-13 x 5-1/2	x	71 *	Cotter Pin, 3/32 x 1	x x x
27 *	Hex Locknut, 1/2-13	x	72 *	Washer, 33/64 x 1 x 16 ga.	x x x
28 48006-01	Wheel Assy, (incl.13-14a, 29-34)	x	73 04062-01	Hair Pin, large	x x x
29 48006-02	Tire Only Caster Wheel	x	74 *	Hex Hd Bolt, 3/8-16 x 1	x x x
NS 48006-03	Inner Tube for 48006-01	x	75 42057	Cam Link	x x x
30 48006-04	Rim Pair, Caster Wheel	x	76 46078	Caster Assy (incl.19-20, 22, 77-81)	x x
31 48006-07	Retainer, Bearing, Caster wheel	x	77 45102	Caster Support Wd.	x x
32 48006-06	Roller Bearing, Caster Wheel	x	78 43037-02	Spacer, Caster Yoke, 1/4 long	x x
33 48114-03	Grease Fitting, 45° 1/4-28	x	79 45103	Caster Yoke Wd.	x x
34 48006-05	Hub Assy, Caster Wheel	x	80 48195	Caster Wheel Assy.	x x
35 *	Hex Hd Bolt, 5/16-18 x 3/4	x x x	81 04050-01	Retaining Ring, 5/8 Ext.-E	x x
36 45100	Discharge Chute Wd	x x x	82 44009	Belt Guide	x x x
37 *	Hex Nut, 5/16-18 Elastic Stop	x x x	83 42288	Bumper Ballast	x x
38 *	Hex Hd bolt, 5/16-18x1	x x x	83 42350	Bumper Ballast	x
39 46085	Belt Cover Assy (incl. Decal)	x x	84 *	Hex Hd Bolt, 5/16-18 x 1 1/2	x x x
39 46157	Belt Cover Assy (incl. Decal)	x	85 *	Flat Washer, 5/16	x x x
40 *	Washer, 25/64 x 15/16 x 12 ga.	x x x	86 04041-08s	Washer, 3/4 x 1 1/4 x .035	x x x
41 04022-04	Wing Nut, 3/8-16 elastic stop	x x x	87 04040-09	Washer	x x x


\* Common hardware should be purchased locally. All bolts are Grade 5 plated, all other fasteners are zinc plated.

### SERVICE MANAGER'S NOTES

#### REF. NO.

- 61 See SB 25 - Idler pulley for cutter drive belt.
- 57 See SB 25 - Idler pulley for cutter drive belt.
- 52 Deck mounting bolts must be torqued to 70 ft. lbs.

## 48", 52", & 61" CUTTER DECKS



# 48", 52", & 61" CUTTER DECKS

REF. PART NO. NO.	DESCRIPTION	SWM 48 52 61	REF. PART NO. NO.	DESCRIPTION	SWM 48 52 61
1 46088	Cutter Deck (incl. decal)	x	42 48127	Pulley (incl. 43-44)	x x x
1 46163	Cutter Deck (incl. decal)	x	43 48141	Tapered Hub	x x x
1 46119	Cutter Deck (incl. decal)	x	44 *	Hex Hd Bolt 1/4-20 x 3/4	x x x
2 46020	Cutter Spindle Assy. (incl. 3-9)	x x x	45 *	Hex Nut, 5/8-11	x x x
3 04050-04	Retaining Ring, 1" Ext.-Inverted	x x x	46 48129	Pulley, Double (incl. 43-44)	x x x
4 04050-07	Retaining Ring, 2-7/16" Int.basic	x x x	47 48087	Belt, RH Blade Drive	x
5 48101-01	Bearing, Cutter Spindle Upper	x x x	47 48285	Belt, RH Blade Drive	x
5a 48101-02	Bearing, Cutter Spindle Lower	x x x	47 48265	Belt, RH Blade Drive	x
6 41001	Spindle Housing	x x x	48 48089	Belt, Blade Drive	x
7 48114-02	Grease Fitting Str. 5/16 Serr.	x x x	48 48286	Belt, Blade Drive	x
8 43001-02	Spindle, Cutter Blade	x x x	48 48264	Belt, Blade Drive	x
9 04041-02	Washer, 1-5/16 x 2-13/32 x 16 ga	x x x	49 *	Hex Hd Bolt, 3/8-16 x 5"	x x x
10 04063-08	Key, 1/4 x 1-1/4 x 2	x x x	50 *	Hex Nut, 3/8-16	x x x
11 43038	Spacer, Cutter Blade	x x x	50a *	Hex Nut 3/8-16, Centerlock	x x x
12 *	Hex Hd Bolt, 5/16-18 x 1-1/4	x x x	51 *	Lockwasher, Spring, 3/8	x x x
13 *	Lockwasher, Spring, 5/16	x x x	52 04004-02	Support, Belt Cover	x x x
14 *	Hex Nut, 5/16-18	x x x	53 45098	Belt Guide Wld.	x x x
14a *	Hex Nut, 5/16-24	x x x	54 SM *	Hex Hd Bolt, 7/16-14 x 1-1/4	x x x
15 48110	Cutter Blade 16-1/2"	x	55 *	Washer, 15/32 x 59/64 x 16 ga.	x x x
15 48108	Cutter Blade 18"	x	56 *	Lock Washer, Spring, 7/16	x x x
15 48111	Cutter Blade 21"	x	57 *	Hex Nut, 7/16-14	x x x
15a 48184	Cutter Blade 16-1/2" Hi Lift	x	58 48181	Idler Pulley, "V" Groove	x x x
15a 48185	Cutter Blade 18" Hi Lift	x	59 04050-02	Retaining Ring, 3/4" Ext. "E"	x x x
16 04040-10	Flat Washer, 5/8" W	x x x	60 46081	Idler Arm Assy, (incl. 22 & 66)	x x x
17 04001-41	Hex Hd Bolt, 5/8-11 x 9-1/2"	x x x	61 48100-05	Bronze Bearing	x x x
18 46079	Caster Assy, Comp. (incl. 19-28)	x x x	62 43028	Rod, Idler Pull, J	x x x
19 04066-01	Quick Pin	x x x	63 43077	Spacer, J Pull Rod	x x x
20 43037-01	Spacer, Caster Yoke, 1/2" long	x x x	64 04041-12	Washer, 3/8 x 1-1/2 x 16 ga.	x x x
21 48100-01	Bronze Bearing	x x x	65 *	Hex Hd Bolt, 3/8-16 x 2-1/4	x x x
22 48114-01	Grease Fitting, Str., 1/4-28	x x x	65a 04004-04	Stud	x x x
23 46082	Support Assy. (incl. 21-22)	x x x	66 *	Hex Nut, 3/8-16 Elastic Stop	x x x
24 45006	Caster Yoke Wld.	x x x	67 SM 46145	Idler Arm (incl. 22 & 61)	x x x
25 43022	Sleeve, Caster Wheel Bearing	x x x	68 43063	Spacer	x x x
26 04001-37	Hex Hd Bolt, 1/2-13 x 5-1/2"	x x x	69 04070-02	Eyebolt, LH	x x x
27 *	Hex Locknut, 1/2-13	x x x	70 04070-01	Eyebolt, RH	x x x
28 48006-01	Wheel Assy. (incl. 13-14a, 29-34)	x x x	71 43025	Turnbuckle	x x x
29 48006-02	Tire only, Caster Wheel	x x x	72 04022-02	Wing Nut, 5/16-18	x x x
48006-03	Inner Tube only, Caster Wheel	x x x	73 43042	Sleeve, Cam Clutch	x x x
30 48006-04	Rim Pair, Caster Wheel	x x x	74 *	Hex Hd Bolt, 3/8-16 x 2-3/4	x x x
31 48006-07	Retainer, Bearing, Caster Wheel	x x x	75 45037	Idler Pivot Wld.	x x x
32 48006-06	Roller Bearing, Caster Wheel	x x x	76 SM 48269	Idler Pulley, Belt Clutch	x x x
33 48114-03	Grease Fitting 45' 1/4-28	x x x	77 44003	Blade Clutch Rod, Lower	x x x
34 48006-05	Hub Assy, Caster Wheel	x x x	78 43043	Sleeve, Clutch Rod	x x x
35 *	Hex Hd Bolt, 5/16-18 x 3/4"	x x x	79 *	Cotter Pin, 3/32 x 1	x x x
36 45029	Discharge Chute Wld	x x	80 *	Washer, 33/64 x 1 x 16 ga	x x x
36 45100	Discharge Chute Wld	x x	81 04062-01	Hair Pin Large	x x x
37 *	Hex Nut, 5/16-18 Elastic Stop	x x x	82 *	Hex Hd Bolt, 3/8-16 x 1	x x x
38 *	Hex Hd Bolt, 5/16-18 x 1	x x x	83 42057	Cam Link	x x x
39 46086	Belt Cover Assy. (incl. Decals)	x	84 45046	Roller Shaft Wld	x x x
39 46164	Belt Cover Assy. (incl. Decals)	x	85 48038	Guide Roller	x x x
39 46121	Belt Cover Assy. (incl. Decals)	x	86 *	Flat Washer, 11/32 x 11/16 x 16ga	x x
40 *	Washer 25/64 x 15/16 x 12 ga.	x x x	87 44008	Belt Guide	x x x
41 04022-04	Wing Nut, 3/8-16	x x x	88 *	Flat Washer, 5/16	x x x






\* Common hardware should be purchased locally. All bolts Grade 5, all other fasteners zinc plated.

## SERVICE MANAGER'S NOTES

### REF. NO.

- 76 See SB 25 - Idler pulley for cutter drive belt.
- 67 See SB 25 - Idler pulley for cutter drive belt.
- 54 Deck mounting bolts must be torqued to 70 ft. lbs.

## **ENGINE DECK**



# ENGINE DECK

REF. PART NO. NO.	DESCRIPTION	SW	SW	SW	SW	SW	SW	SW	SW	SW
		32	36	36	36	48	48	52	52	61
		12B	12B	13K	8J	12B	13K	13K	18KH	18KH
1 SM 48268	Engine 18HP Kohler (MV18 PS-58511)								x	x
1 SM 48273	Engine 8HP JLO				x					
1 SM 48271	Engine 12HP Briggs (281702 type 0152-01)	x	x			x				
2 48190	Engine 12.5 Kawasaki (FB460-ES05)		x				x	x	x	x
3 SM 48191	Transmission (PEERLESS 700-022)	x	x	x	x	x	x	x	x	x
4 48231	Neutral safety switch	x	x	x	x	x	x	x	x	x
5 48122-01	Fibre washer, thin	x	x	x	x	x	x	x	x	x
5a 48122-02	Fibre washer, thick	x	x	x	x	x	x	x	x	x
6 48226	Coupler, jackshaft	x	x	x	x	x	x	x	x	x
7 48114-01	Grease fitting, str. 1/4-28	x	x	x	x	x	x	x	x	x
8 48225	Jackshaft	x	x	x	x	x	x		x	x
8a 48242	Jackshaft							x	x	x
9 04063-09	Key, Hi-Pro #9	x	x	x	x	x	x	x	x	x
10 *	Hex Hd Bolt, 5/16-18 x 3/4	x	x	x	x	x	x	x	x	x
11 *	Lockwasher, Spring 5/16	x	x	x	x	x	x	x	x	x
12 48305	Clutch Safety Switch (Black Housing)	x	x	x	x	x	x	x	x	x
13 *	Mach.Scr, Phil, 10-32 x 1/2	x	x	x	x	x	x	x	x	x
14 *	Washer .219 x .500 x .049	x	x	x	x	x	x	x	x	x
15 *	Lockwasher, #10 Ext. Tooth	x	x	x	x	x	x	x	x	x
16 *	Hex Nut #10-32	x	x	x	x	x	x	x	x	x
17 SM45090	Engine Deck Wid.		x	x	x	x	x		x	x
17 SM45116	Engine Deck Wid.								x	x
17 SM45128	Engine Deck Wid.	x								
18 42263	Rear Belt Guide, Engine	x	x	x	x	x	x	x	x	x
19 *	Hex Nut, 5/16-18	x	x	x	x	x	x	x	x	x
20 44006	Belt Guide, Traction Dr.	x	x	x	x	x	x	x	x	x
21 *	Hex Head Bolt, 5/16-18 x 1	x	x	x	x	x	x	x	x	x
21a 04003-04	Carriage Hd Bolt 5/16-18 x 1	x	x	x	x	x	x	x	x	x
22 *	Washer, 25/64 x 15/16 x 12 ga.	x	x	x	x	x	x	x	x	x
23 48197	Pulley, Trans. Input	x	x	x	x	x	x	x	x	x
24 04063-07	Key, Woodruff #9	x	x	x	x	x	x	x	x	x
25 04050-09	Retaining Ring, 5/8 Ext.Basic	x	x	x	x	x	x	x	x	x
26 48203	Belt, Transmission Drive	x	x	x	x	x	x	x	x	x
27 48201	Idler Pulley, Transmission	x	x	x	x	x	x	x	x	x
28 48196	Pulley, Traction Drive	x	x	x	x	x	x	x	x	x
28 48249	Pulley, Traction Drive				x					
29 04063-03	Key, 1/4 x 1/4 x 2-1/2	x	x	x	x	x	x	x	x	x
29 04063-10	Key, 3/16 x 13/16 x 2-1/2			x						
31 48127	Pulley, Belt Dr. (Incl. 32-33)	x	x	x	x	x	x	x	x	x
31 48247	Pulley, Belt Dr. (Incl. 32-33)			x						
32 48141	Taper Hub (for 48127)	x	x	x	x	x	x	x	x	x
32 48248	Taper Hub (for 48247)			x						
33 *	Hex Hd Bolt, 1/4-20 x 3/4	x	x	x	x	x	x	x	x	x
34 *	Lockwasher, Spring, 3/8	x	x	x	x	x	x	x	x	x
35 *	Hex Nut, 3/8-16	x	x	x	x	x	x	x	x	x
36 42268	Belt Guide, Saddle	x	x	x	x				x	x
36A 42265	Belt Guide, Saddle					x	x	x	x	x
37 *	Hex Hd Bolt, Metric 8x25	x	x	x	x	x	x	x	x	x
37 *	Hex Hd Bolt, Metric 10x30			x						
38 48192-01	Drive Wheel Assy (Incl. 38A-38B)		x	x	x	x	x	x	x	x
38 48253	Drive Wheel Assy (Incl. 38C-38D)	x								
38A 48192-02	Tire, 13 x 6.50-6, 2-Ply		x	x	x	x	x	x	x	x
38B 48192-03	Rim & Bearing Assy (Incl. 39)		x	x	x	x	x	x	x	x
38C 48253-02	Tire, 13 x 5.00-6, 2Ply	x								
38D 48253-03	Rim & Bearing Assy (Incl. 39)	x								
39 SM48193	Wheel Bearing	x	x	x	x	x	x	x	x	x
40 04042-05	Washer, 1-1/16 x 1-3/4 x 12 ga.	x	x	x	x	x	x	x	x	x
40A 04041-14	Washer, 1-1/16 x 1-1/2 x 18 ga.	x	x	x	x	x	x	x	x	x
41 04050-08	Retaining Ring, 1" Ext.-"E"	x	x	x	x	x	x	x	x	x
42 48200	Pulley, Wheel Drive	x	x	x	x	x	x	x	x	x
43 43088	Spacer, Wheel Pulley	x	x	x	x	x	x	x	x	x

\* Common hardware should be purchased locally. All bolts Grade 5 plated, All other fasteners zinc plated

ENGINE DECK CONTINUED ON FOLLOWING PAGE.

## ENGINE DECK CONT'D

See Page D5 For Illustration

REF. PART NO. NO.	DESCRIPTION	SW	SW	SW	SW	SW	SW	SW	SW	SW
		32 12B	36 12B	36 13	36 8J	48 12B	48 13K	52 13K	52 18KH	61 18KH
44 48209	Brake Drum	x	x	x	x	x	x	x	x	x
45 *	Hex Head Bolt, 5/16-18 x 1-1/2	x	x	x	x	x	x	x	x	x
46 04003-03	Sh.Sq.Nk.Car. Bolt, 3/8-16 x 2	x	x	x	x	x	x	x	x	x
47 *	Hex Nut, 5/16-18 Elastic Stop	x	x	x	x	x	x	x	x	x
48 *	Carr Bolt, 3/8-16 x 1 1/2 Rd.Hd. Sh. Sq. NK.	x	x	x	x	x	x	x	x	x
50 42330	Bracket, Idler Pulley							x	x	
51 43063	Spacer							x		
52 04041-11	Washer, 13/32 x 1-1/2 x 7 ga.							x		x
57 42333	Engine Mounting Plate					x				
58 *	5/16-18 x 1 Hex Hd. Bolt					x				
59 *	6-1x45 Full thrd Hex Hd.Bolt					x				
60 *	1/4 Lockwasher, Spring					x				
61 *	Hex Nut, 6-1					x				
62 48275	Clamp, Fuel Hose					x				
63 *	Hex Hd Bolt 3/8-16 x 2							x	x	
64 48030	Clamp Fuel Hose							x	x	
65 48257	Pipe Cap							x	x	
66 48254	Pipe 4" nipple							x	x	
67 *	Lockwasher, 7/16 Spring					x				

\* Common hardware should be purchased locally. All bolts Grade 5 plated. All other fasteners zinc plated.

### SERVICE MANAGER'S NOTES


REF. NO.

- 39 See SB 32 - Drive wheel bearings (outside diameter).
- 17 See SB 44 - Engine deck support plate.
- 3 See SB 38 - 4 to 5 speed conversion.
- 1 See SB 42 - Solutions to starter ratcheting.

### SERVICE MANAGER'S NOTES FOR PAGE 9

See SB 27 - Reduction of forward speed with Kit 48301.  
 See SB 31 - 820 transaxle conversion Kit 46190 for large frame tractors..


# PEERLESS 700 - 022



# PEERLESS TRANSMISSION MODEL 700 - 022

REF. PART NO.	PART NO.	DESCRIPTION	ALL UNITS	REF. PART NO.	PART NO.	DESCRIPTION	ALL UNITS
1. 770061		Case, Transmission	x	20 778240		Gear, Spur (18 teeth)	x
2. 772083		Cover, Transmission	x	23 780071		Bearing, Thrust	x
3. 776217		Shaft, Output & Brake	x	27 780105A		Bushing, Flanged	x
4. 778124A		Gear, Spur (20 teeth)	x	28 786081		Chain, Roller (No.41 chain,24 links)	x
5. 786072		Spacer, 1-3/8"OD x 1-1/8"ID x 3/8"	x	29 780072		Washer, Thrust	x
6. 778239		Gear, Spur (32 teeth)	x	30 780086		Bearing, Needle	x
7. 778125		Gear, Spur (35 teeth)	x	31 780142		Bearing, Needle	x
8. 778146A		Gear, Spur (37 teeth)	x	32 792035		Ring, Retaining	x
9. 784266		Collar, Shift	x	33 780139		Washer, Thrust	x
10. 786083		Sprocket (18 teeth)	x	34 788040		Ring, Retaining	x
11. 786082		Sprocket (9 teeth)	x	35 784267		Rod & Fork Assy., Shift	x
12. 776134		Shaft, Counter	x	36 792073		Screw, Flanged Hex hd.tf,1/4-20x1-1/4	x
13. 778154		Gear, Bevel (42 teeth)	x	37 792089A		Key	x
14. 778145		Gear, Spur (12 teeth)	x	40 792077		Ball, Steel, 5/16"	x
15. 778151		Gear, Spur (15 teeth)	x	41 792078		Screw, Set 3/8-16 x 3/8	x
16. 786071		Spacer, 1-1/8"OD x 3/4"ID x 3/8"	x	42 792079		Spring	x
17. 778126A		Gear, Spur (30 teeth)	x	43 780108		Washer, Thrust	x
18. 776135		Shaft, Input	x	44 792001		"O" Ring	x
19. 778176		Bevel Pinion, Input	x	46 788069		Seal, Square Cut	x

## HANDLE ASSEMBLY



# HANDLE ASSEMBLY

REF.PART NO. NO.	DESCRIPTION	SW	SW	SW	SW	SW	SW	SW	SW	SW
		32	36	36	36	48	48	52	52	61
		12B	12B	13K	8J	12B	13K	13K	18KH	18KH
1 46178	Handle Assy. (Incl. 90 & decals)	x	x	x	x	x	x	x	x	x
1 46179	Handle Assy. (Incl. 90 & decals)							x	x	x
2 42249	Handle Mounting Frame	x	x	x	x	x	x	x	x	x
2 42310	Handle Mounting Frame							x	x	x
3 *	Hex Hd Bolt, 3/8-16 x 1	x	x	x	x	x	x	x	x	x
4 *	Washer, 25/64 x 15/16 x 12 Ga.	x	x	x	x	x	x	x	x	x
5 *	Hex Nut, 3/8-16 Elastic Stop	x	x	x	x	x	x	x	x	x
6 48237	Wire Harness	x	x	x	x	x	x	x	x	x
6 48287	Wire Harness Kohler Adapter				x					
6 48323	Wire Harness JLO Adapter							x	x	x
7 *	Mach. Screw, Phillips, #10-32 x 1/2	x	x	x	x	x	x	x	x	x
8 *	Lockwasher, #10 Ext. Tooth	x	x	x	x	x	x	x	x	x
9 *	Hex Nut, #10-32	x	x	x	x	x	x	x	x	x
10 44004	Control Rod, Steering	x	x	x	x	x	x	x	x	x
11 04062-02	Hair Pin, Small	x	x	x	x	x	x	x	x	x
12 *	Cotter Pin, 3/32 x 3/4	x	x	x	x	x	x	x	x	x
13 43032	Swivel Joint	x	x	x	x	x	x	x	x	x
14 04062-01	Hair Pin, Large	x	x	x	x	x	x	x	x	x
15 45091-01	Idler Bracket Wid, RH	x	x	x	x	x	x	x	x	x
15A 45091-02	Idler Bracket Wid, LH	x	x	x	x	x	x	x	x	x
16 43092	Idler Sleeve	x	x	x	x	x	x	x	x	x
17 42283	Belt Guard	x	x	x	x	x	x	x	x	x
18 04004-01	Support Belt Guard	x	x	x	x	x	x	x	x	x
19 *	Hex Nut, 3/8-16	x	x	x	x	x	x	x	x	x
20 *	Lockwasher, Spring, 3/8	x	x	x	x	x	x	x	x	x
21 *	Hex Head Bolt, 3/8-16 x 2-3/4	x	x	x	x	x	x	x	x	x
22 *	Flat Washer 1/4	x	x	x	x	x	x	x	x	x
23 48309	Bushing	x	x	x	x	x	x	x	x	x
24 48292	Rubber Pads (upper)	x	x	x	x	x	x	x	x	x
25 *	Hex Head Bolt, 5/16-18 x 1-1/4	x	x	x	x	x	x	x	x	x
25A 04003-06	Carriage 1/4-20 x 1	x	x	x	x	x	x	x	x	x
26 *	Hex Nut, 5/16-18	x	x	x	x	x	x	x	x	x
27 48051	Spring, Idler Tension	x	x	x	x	x	x	x	x	x
28 *	Washer, 11/32 x 11/16 x 16 ga.	x	x	x	x	x	x	x	x	x
29 *	Hex Nut, 5/16-18 Elastic Stop	x	x	x	x	x	x	x	x	x
30 *	Lockwasher, Spring, 5/16	x	x	x	x	x	x	x	x	x
31 *	Hex Head Bolt, 5/16-18 x 1	x	x	x	x	x	x	x	x	x
32 44005	Brake Rod	x	x	x	x	x	x	x	x	x
33 SM 45092-01	Brake Lever Wid, RH	x	x	x	x	x	x	x	x	x
33A SM 45092-02	Brake Lever Wid, LH	x	x	x	x	x	x	x	x	x
34 45093	Brake Link Wid.	x	x	x	x	x	x	x	x	x
35 42254	Brake Link	x	x	x	x	x	x	x	x	x
36 04024-01	Nut, Push-On, 3/8	x	x	x	x	x	x	x	x	x
37 48114-01	Grease Fitting, Str., 1/4-28	x	x	x	x	x	x	x	x	x
38 04050-01	Retaining Ring, 5/8 Ext.-"E"	x	x	x	x	x	x	x	x	x
39 48210	Brake Band	x	x	x	x	x	x	x	x	x
40 *	Hex Head Bolt, 3/8-16 x 2	x	x	x	x	x	x	x	x	x
41 45094	Bell Crank Pivot Wid.	x	x	x	x	x	x	x	x	x
42 *	Hex Head Bolt, 1/4-20 x 1	x	x	x	x	x	x	x	x	x
43 *	Lockwasher, Spring, 1/4	x	x	x	x	x	x	x	x	x
44 *	Hex Nut, 1/4-20	x	x	x	x	x	x	x	x	x
45 45095	Bell Crank Wid, Clutch	x	x	x	x	x	x	x	x	x
46 44003	Blade Clutch Rod, Lower	x	x	x	x	x	x	x	x	x
47 SM 48202	Belt, Wheel Drive	x	x	x	x	x	x	x	x	x
48 48198	Idler Pulley, Wheel Drive	x	x	x	x	x	x	x	x	x
49 48199	Pulley, Jackshaft (Incl. 50)	x	x	x	x	x	x	x	x	x
50 *	Setscrew, Hex Socket Knurled Cup Pt.5/16-16 Nylock	x	x	x	x	x	x	x	x	x
51 43098	Spacer, Jackshaft Pulley	x	x	x	x	x	x	x	x	x
52 48223	Flange, Jackshaft Bearing	x	x	x	x	x	x	x	x	x
53 48224	Bearing, Jackshaft	x	x	x	x	x	x	x	x	x
54 04050-09	Retaining Ring, 5/8 Ext.-Basic	x	x	x	x	x	x	x	x	x
55 *	Hex Head Bolt, 1/4-20 x 3/4	x	x	x	x	x	x	x	x	x
56 *	Hex Head Bolt, 3/8-16 x 4	x	x	x	x	x	x	x	x	x
57 48030	Clamp	x	x	x	x	x	x	x	x	x
58 SM 42251	Shifter Plate	x	x	x	x	x	x	x	x	x
59 *	Carriage Bolt, 1/4-20 x 1	x	x	x	x	x	x	x	x	x
60 48205	Rubber Pad (lower)	x	x	x	x	x	x	x	x	x
61 48171	Key Switch	x	x	x	x	x	x	x	x	x
62 48017-03	Lockwasher, Internal Tooth, 5/8	x	x	x	x	x	x	x	x	x
63 48017-04	Hex Nut, 5/8-32	x	x	x	x	x	x	x	x	x
64 48017-02	Key, Ignition	x	x	x	x	x	x	x	x	x
65 48058-01	Fuel Hose, Short Briggs 1/4 ID x 3 1/2"	x	x	x	x	x	x	x	x	x
65 48058-02	Fuel Hose Kohler 1/4 ID x 14 1/8"									
65 48058-08	Fuel Hose 8J 1/4 ID x 4 1/2"				x					
65a 48179-01	Fuel Hose, Short Kawasaki 7/32 ID x 3 1/2"				x	x	x	x	x	x

\* Common hardware should be purchased locally. All bolts Grade 5 plated, All other fasteners zinc plated

HANDLE ASSEMBLY CONTINUED ON FOLLOWING PAGE

## HANDLE ASSEMBLY CONT'D

See Page D9 For Illustration

REF. PART NO. NO.	DESCRIPTION	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
		32 12B	36 12B	36 13K	36 8J	48 12B	48 13K	52 13K	52 18KH	61 18KH	
65b	48058-09 Fuel Hose 8J 1/4 ID x 1 1/4"					x				x	x
65c	48275 Clamp, fuel hose 8J					x				x	x
65d	48282 Elbow, 8J					x				x	x
66	48059-01 Clamp, Fuel Hose	x	x		x	x			x	x	x
66A	48059-02 Clamp, Fuel Hose Kawasaki			x			x	x	x	x	x
67	48057-02 Fuel Filter	x	x	x	x	x	x	x	x	x	x
68	48058-06 Fuel Hose, Long 1/4 ID x 17"	x	x	x	x	x	x	x	x	x	x
69	48308 Valve, Fuel Shut Off	x	x	x	x	x	x	x	x	x	x
70	46174 Fuel Tank Assy. (Incl. Decals 23,71,69)	x	x	x	x	x	x	x	x	x	x
71	48311 Fuel Tank Cap	x	x	x	x	x	x	x	x	x	x
72	42369 Strap, Fuel Tank	x	x	x	x	x	x	x	x	x	x
73	*	Mach. Rd. Hd. Slotted, 1/4-20 x 2	x	x	x	x	x	x	x	x	x
74 SM	42252 Shifter Lever	x	x	x	x	x	x	x	x	x	x
75 SM	46073 Shift Lever Assy. (Incl. 76)	x	x	x	x	x	x	x	x	x	x
76	48215 Grip, Shift Lever	x	x	x	x	x	x	x	x	x	x
77	04043-01 Washer, 17/64 x 7/8 x 1/8 HT	x	x	x	x	x	x	x	x	x	x
78 SM	04001-55 Hex Head Bolt, 1/4-28 x 3/4 Grade 8	x	x	x	x	x	x	x	x	x	x
79	48028-01 Cable Tie	x	x	x	x	x	x	x	x	x	x
80	48206 Throttle Control	x	x	x	x	x	x	x	x	x	x
80	48274 Throttle Control	x	x	x		x	x	x	x	x	x
80	48266 Throttle Control					x			x	x	x
81	*	Hex Head Bolt, 1/4-20 x 2	x	x	x	x	x	x	x	x	x
82	*	Hex Nut, 1/4-20 Elastic Stop	x	x	x	x	x	x	x	x	x
83	46090 Blade Clutch Lever Assy. (Incl. 84)	x	x	x	x	x	x	x	x	x	x
84	48144 Grip, Lever	x	x	x	x	x	x	x	x	x	x
85	*	Hex Head Bolt, 3/8-16 x 1-3/4	x	x	x	x	x	x	x	x	x
86	04041-10 Washer, 3/8 x 2 x 16 Ga.	x	x	x	x	x	x	x	x	x	x
87	44002 Belt Clutch Rod, Upper	x	x	x	x	x	x	x	x	x	x
88	*	Hex Head Bolt, 5/16-18 x 2-1/4	x	x	x	x	x	x	x	x	x
89	*	Hex Head Bolt, 5/16-18 x 2	x	x	x	x	x	x	x	x	x
90	48159 Grip, Handle	x	x	x	x	x	x	x	x	x	x
91	46083-01 Neutral Latch Assy, RH (Incl. 92)	x	x	x	x	x	x	x	x	x	x
91A	46083-02 Neutral Latch Assy, LH (Incl. 92)	x	x	x	x	x	x	x	x	x	x
92	48095 Grip, Neutral Latch	x	x	x	x	x	x	x	x	x	x
93	04032-01 Curved Spring Washer	x	x	x	x	x	x	x	x	x	x
94	46089 Brake Lever Assy. (Incl. 84)	x	x	x	x	x	x	x	x	x	x
95	48050 Spring Compression	x	x	x	x	x	x	x	x	x	x
96	48091 Choke Control	x	x	x	x	x	x	x	x	x	x
97	*	Set Screw 1/4-28 x 1/4 Knurled Cup Pt.	x	x	x	x	x	x	x	x	x
98	45142 Safety Interlock Hand Grip LH	x	x	x	x	x	x	x	x	x	x
98a	45141 Safety Interlock Hand Grip RH	x	x	x	x	x	x	x	x	x	x
99	44018 Rod, Control Pivot - 16"	x	x	x	x	x	x	x	x	x	x
99	44014 Rod, Control Pivot - 20"								x	x	x
100	48021 Switch Interlock	x	x	x	x	x	x	x	x	x	x
101	04026-01 Hex Nut 9/16-18, Steel Spring	x	x	x	x	x	x	x	x	x	x
102	48313 Spring, Grip Return	x	x	x	x	x	x	x	x	x	x
103	48312 Bushings	x	x	x	x	x	x	x	x	x	x

\* Common hardware should be purchased locally. All bolts Grade 5 plated, all other fasteners zinc plated.

### SERVICE MANAGER'S NOTES

#### REF. NO.

- 78 See SB 23 - Shift lever mounting on walkers.
- 75 See SB 38 - 4 to 5 speed transmission conversion kit.
- 74 See SB 38 - 4 to 5 speed transmission conversion kit.
- 58 See SB 38 - 4 to 5 speed transmission conversion kit.
- 47 See SB 52 - Belt slippage.
- 33 See SB 37 - Wheel drive belt slipping.

## REPLACEMENT DECALS

# SCAG

48314

Decal - Scag's Logo  
(Located On Cutter Deck Cover - Top Surface)

R N 1 2 3 4  
I I I I I I


48216 - 4SPD  
48332 - SSPD

Decal - Shift Index  
(Located On Shifter Plate - Above Shift Lever)

**HEAVY DUTY  
COMMERCIAL**

48072

Decal - Heavy Duty Commercial  
(Located On Cutter Deck Cover - Front Wall)




48073  
Decal - Danger, Rotating Blades  
(Located On Cutter Deck Cover -  
Near Discharge Chute)

**48**

72 48327  
61 48320  
52 48319  
48 48318  
36 48318  
32 48315




48071  
Decal - O.P.E.I. Safety  
(Located On Cutter Deck Near  
Discharge Chute)



CLOSE FUEL VALVE  
WHEN MACHINE IS  
NOT IN USE  
• VALVE IS LEFT OPEN,  
SEVERE ENGINE DAMAGE  
OR RAPID STARTING MAY  
RESULT FROM PLUGGING

48214  
Decal - Fuel Shutoff  
(Located On Fuel  
Tank - Above Keyswitch)




48222  
Decal - Operator Warning  
(Located On Fuel Tank -  
Above Shift Lever)



48277  
Decal - 2 Cycle Fuel Mixture  
(Location - Top of Engine)



48079  
Decal - Key Switch  
(Located On Shifter  
Plate - Near Keyswitch)  
48218  
Decal - Neutral Lock  
(Located On RH & LH Handle  
Tube - Near Lock Lever)



48281  
Decal - Operator Warning  
Fuel Fill  
(Located On Back of Fuel Tank)

# WIRING SCHEMATIC

